

HOW TO UPDATE BROWSER SETTINGS

TABLE OF CONTENTS

1.	BRC	DWSER COMPATIBILITY	. 1
1	1.	Browser Compatibility Requirements	. 1
1	2.	Operating System Requirements	. 1
2.	UPE	DATE TRUSTED SITES	. 2
2	2.1.	How to add *.intertekconnect.com to Trusted Sites List (Internet Explorer)	. 2
2	.2.	How to add *.intertekconnect.com to Trusted Sites List (Mozilla Firefox)	. 4
2	.3.	How to add *.intertekconnect.com to Trusted Sites List (Chrome)	. 5
3.	UPE	DATE POP-UP SETTINGS	. 9
З	8.1.	How to add *.intertekconnect.com to Allowed Pop-ups (Internet Explorer)	. 9
З	3.2.	How to add *.intertekconnect.com to Allowed Pop-ups (Mozilla Firefox)	11
Э	.3.	How to add *.intertekconnect.com to Allowed Pop-ups (Chrome)	12
4.	UPE	DATE COOKIES SETTINGS	15
4	.1.	How to enable cookies (Internet Explorer)	15
4	.2.	How to enable cookies (Mozilla Firefox)	16
4	.3.	How to enable cookies (Chrome)	18
5.	UPE	DATE JAVASCRIPT SETTINGS	21
5	5.1.	How to enable JavaScript (Internet Explorer)	21
5	5.2.	How to enable JavaScript (Mozilla Firefox)	23
5	5.3.	How to enable JavaScript (Chrome)	23
6.	ENA	ABLE TLS	25
е	5.1.	How to enable TLS (Internet Explorer)	25
6	5.2.	How to enable TLS (Mozilla Firefox)	27
e	5.3.	How to enable TLS (Chrome)	27
7.	INS	TALLING ADOBE FLASH PLAYER	28
7	'.1.	How to install Adobe Flash Player	28





1.1. Browser Compatibility Requirements

Browser compatibility is required for successful access to iEnable system. If your current browser (or operating system) is not compatible with the latest supported browser version (or operating system), iEnable will direct you to the incompatibility page displaying required browser settings. Please refer to section 1.2

Your web browser has the foll incompatibilities with iEnable:	owing		
🙆 iEnable Web Browser Requirements:			
Supported Browsers:	Browser Settings		
@ Finefox 59.0.2+	Allow JavaScript		
@ Internet Explorer 9+	Cenable TLS		
Chrome 66+ (Business Assurance Client Portal Only)	Allow Cookies		
Please note:			
Please refer to the iEnable Web Browser Requirements above to correct			

Reference 1.1

- Allow JavaScript: Please refer to section 5. UPDATE JAVASCRIPT SETTINGS of this document.
- Allow Cookies: Please refer to section 4. UPDATE COOKIES SETTINGS of this document.
- Enable TLS: Please refer to section 6. ENABLE TLS of this document.
- **Note:** Chrome is only supported for Business Assurance Client Portal. iEnable Assessment Portal does not currently support use of Chrome.

1.2. Operating System Requirements

Please find additional information for iEnable supported operating system requirements below. Please refer to section 1.1 in this document for specific browser settings.

Browser	Operating System					
Browser	Windows 8.1+ Windows 7 and 8		Windows Vista, XP			
Firefox	59.0.2+ Supported	59.0.2+ Supported	Not Supported			
Internet Explorer	9+ Supported	9+ Supported	Not Supported			
Chrome (for Client Portal)	66+ Supported	66+ Supported	Not Supported			

Reference 1.2



2.1. How to add *.intertekconnect.com to Trusted Sites List (Internet Explorer)

- Note: internet browser settings may be controlled by your company's system administrator. If you are not able to perform the actions described, please contact your company's system administrator.
- Open Internet Explorer internet browser
- From the Internet Explorer browser menu select Tool and select Internet options
 - Reference 2.1 (a)
- In the Internet Options Pop-up click on the Security tab, click on Trusted Sites icon, then click on Sites button

• Reference 2.1 (b)

• In the Trusted Sites Pop-up enter *.intertekconnect.com and click the Add button. The site will be added, and you may close the pop-up.

• Reference 2.1 (c)

- If your company policy states you must use explicit URL, you may enter https://ienable.intertekconnect.com. (You may add both, this is ok)
- Click Close on Trusted Sites Pop-up, then click Ok to close Internet Options Pop-up



Reference 2.1 (a)



Reference 2.1 (b)



Reference 2.1 (c)



2.2. How to add *.intertekconnect.com to Trusted Sites List (Mozilla Firefox)

- Note: internet browser settings may be controlled by your company's system administrator. If you are not able to perform the actions described, please contact your company's system administrator.
- Open Mozilla Firefox internet browser
- From the Mozilla Firefox browser menu select Tools and select Options
 - Reference 2.2 (a)
- On the Preferences Page click on Security, then click on Exceptions button
 - Reference 2.2 (b)
- In the Allowed Sites Pop-up enter *.intertekconnect.com and click the Add button. The site will be added, and you may close the pop-up.
 - Reference 2.2 (c)
- If your company policy states you must use explicit URL, you may enter https://ienable.intertekconnect.com. (You may add both, this is ok)

	<u>File E</u> dit <u>V</u> iew Hi <u>s</u> tory <u>B</u> ookmarks <u>T</u> o	ols <u>H</u> elp	
	New Tab ×	Downloads Ctrl+J Add-ons Ctrl+Shift+A Agps Set Up Sync	
		Web Developer > Page Info	
		<u>O</u> ptions	
	Reference 2.	2 (a)	
File Edit View History Bo	okmarks <u>T</u> ools <u>H</u> elp		
Intertek Intranet	× to Options		
Intertek Intranet	x to Options x +		∀ C' Q Search
Intertek Intranet	× # Options × + ences#security Security		⊽ C Q Search
Intertek Intranet	x		<i>▼ C</i> Q Search
Intertek Intranet	x x		♥ C ^e Q. Search <u>E</u> xceptions
Intertek Intranet	* * Options * + ences#security Security General ✓ Warn me when sites try to install add-ons ✓ Block reported attack sites ✓ Block reported web forgeries		<i>▼ C</i> Q Search <u>E</u> xceptions
Intertek Intranet			₹ C ^e Q. Search <u>E</u> xceptions
Intertek Intranet	× ♥ Options × + ences#security		♥ C Search Exceptions
Intertek Intranet	* * Options * + ences#security General ✓ Warn me when sites try to install add-ons ✓ Block reported attack sites ✓ Block reported web forgeries Passwords ✓ Remember passwords for sites Use a master password		♥ C Q Search Exceptions Exceptions Change Master Password

Reference 2.2 (b)

ou can specify v	which websites are allowed to	install add-ons. Type the e	exact
ddress of the si	te you want to allow and the	n click Allow.	
ddress of websi	ite:		
*.intertekconne	ect.com		
			<u>A</u> llow
Site		Status	
iddons.mozilla.org	n	Allow	
narketplace.firefo>	com	Allow	

Reference 2.2 (c)

2.3. How to add *.intertekconnect.com to Trusted Sites List (Chrome)

- Note: internet browser settings may be controlled by your company's system administrator. If you are not able to perform the actions described, please contact your company's system administrator.
- Open Chrome internet browser
- Click the 3 horizontal dots icon on the far right of the Address bar
 - Reference 2.3 (a)
- Click on Settings
 - Reference 2.3 (b)
- From the Settings Page, scroll to the bottom and click on Advanced
 - Reference 2.3 (c)
- Advanced Settings will now display, scroll down and click on Open Proxy Settings
 - Reference 2.3 (d)
- In the Internet Properties Pop-up click on the Security tab, click on Trusted Sites icon, then click on Sites button
 - Reference 2.3 (e)
- In the Trusted Sites Popup enter *.intertekconnect.com and click the Add button. The site will be added, and you may close the pop-up.
 - Reference 2.3 (f)
- If your company policy states you must use explicit URL, you may enter https://ienable.intertekconnect.com. (You may add both, this is ok)
- Click Close on Trusted Sites Pop-up, then click Ok to close Internet Options Pop-up

New Tab	×	θ	-		×	
← → C ∆				☆	:	

Reference 2.3 (a)

ín

			☆	:
New tab			Ctrl+T	
New windo	ow	(Ctrl+N	
New incog	nito windo	w Ctrl+S	hift+N	
History				j
Download	s		Ctrl+J	
Bookmarks	5)
Zoom	- 1	100% +	5	3
Print			Ctrl+P	
Cast				
Find			Ctrl+F	
More tools	;)
Edit	Cut	Сору	Pas	te
Settings				
Help				2
Exit		Ctrl+S	hift+Q	

Reference 2.3 (b)

≡ Settings	Q Search settings		
	Show bookmarks bar		
	Font size	Medium (Recom	mended) 👻
	Customize fonts		×
	Page zoom	100%	•
	Search engine		
	Search engine used in the address bar	Google	•
	Manage search engines		¥
	Default browser		
	Default browser Make Google Chrome the default browser		MAKE DEFAULT
	On startup		
	Open the New Tab page		
	O Continue where you left off		
	O Open a specific page or set of pages		
	Advanced	d 👻	
	Reference	e 2.3 (c)	

E Settings	Q. Search settings	
	Location C:\Users\krista.kohler.LT\Downloads	CHANGE
	Ask where to save each file before downloading	
	Printing	
	Printers	8
	Google Cloud Print	
	Accessibility	
	Add accessibility features Open Chrome Web Store	
	System	
	Continue running background apps when Google Chrome is closed	-
	Use hardware acceleration when available	
	Open proxy settings	Ø
	Reset and clean up	
	Reset settings Restore settings to their original defaults	¥
	Clean up computer	,

Reference 2.3 (d)



Reference 2.3 (e)



Reference 2.3 (f)



3. UPDATE POP-UP SETTINGS

3.1. How to add *.intertekconnect.com to Allowed Pop-ups (Internet Explorer)

- Note: internet browser settings may be controlled by your company's system administrator. If you are not able to perform the actions described, please contact your company's system administrator.
- Open Internet Explorer internet browser
- From the Internet Explorer browser menu select Tools and select Internet options
 Reference 3.1 (a)
- In the Internet Options Pop-up click on the Privacy Tab and click on Settings Button
 Reference 3.1 (b)
- In the Pop-up Blocker Settings enter https://ienable.intertekconnect.com and click the Add button
- Click Close on Pop-up blocker Settings Pop-up, then click Ok to close Internet Options Pop-up
 - Reference 3.1 (c)

S How	to add Trus	sted Sites to 🤉		
ile E	dit View	Favorites	ools Help	
			Delete browsing history	Ctrl+Shift+Del
			InPrivate Browsing	Ctrl+Shift+P
			Turn on Tracking Protection	
			ActiveX Filtering	
			Fix connection problems	
			Reopen last browsing session	
			Add site to Apps	
			View downloads	Ctrl+J
			Pop-up Blocker	3
			Windows Defender SmartScreen Filter	3
			Manage media licenses	
			Manage add-ons	
			Compatibility View settings	
			Subscribe to this feed	
			Feed discovery	3
			Performance dashboard	Ctrl+Shift+U
			F12 Developer Tools	
			OneNote Linked Notes	
			Lync Click to Call	
			Send to OneNote	
			Report website problems	
			Internet options	

Reference 3.1 (a)

General	Security	Privacy	Content	Connections	Programs	Advar	nced
Setting	s —						
				Sites	Adv	anced	
Locatio	n						_
□ Nev phy	er allow we sical locatio	ebsites to on	request yo	Dur	Clea	ar Sites	
Pop-up	Blocker -				_		_
Tur					-		
E ran	n on Pop-u	p Blocker			Se	ttings	
InPriva	te	p Blocker	ensions wł	nen InPrivate B	se rowsing star	rts	
InPriva	te ———	p Blocker	ensions wh	nen InPrivate B	rowsing star	rts	

xceptions Pop-ups are currently blocked. You can allo websites by adding the site to the list below.	w pop-ups from specific
Address of website to allow:	
https://ienable.intertekconnect.com	Add
Allowed sites:	
(F	Remove
	Remove all.
lotifications and blocking level:	
Play a sound when a pop-up is blocked.	
Show Notification bar when a pop-up is blocked.	
Blocking level:	

Reference 3.1 (c)



3.2. How to add *.intertekconnect.com to Allowed Pop-ups (Mozilla Firefox)

- Note: internet browser settings may be controlled by your company's system administrator. If you are not able to perform the actions described, please contact your company's system administrator.
- Open Mozilla Firefox internet browser
- From the Mozilla Firefox browser menu select Tool and select Options
 - Reference 3.2 (a)
- In the Preferences Page click on Content, then click on Exceptions button
 - Reference 3.2 (b)
- In the Allowed Sites Pop-up enter *.intertekconnect.com and click the Allow button. The site will be added, and you may close the pop-up.
 - Reference 3.2 (c)
- If your company policy states you must use explicit URL, you may enter https://ienable.intertekconnect.com. (You may add both, this is ok)
 - Reference 3.2 (d)
- Click Close on the Allowed Sites Pop-up

New Tab 🗙	<u>D</u> ownloads Ctrl+J <u>A</u> dd-ons Ctrl+Shift+A
Search or enter address	Apps
	Set Up Sync
	Web Developer >
	Page <u>I</u> nfo
	Sector and the sector of the s



<u>File Edit View History Boo</u>	kmarks <u>T</u> ools <u>H</u> elp				×
🛱 Options	× +				
Firefox about:prefere	nces≢content	⊽ C Search	☆自↓	Â	≡
0 General	Content				
Content	Pop-ups Block pop-up windows	Exceptions.			
 Applications Privacy 	Fonts & Colors				
Security		<u>Colors</u>			
🗴 Advanced	Languages Choose your preferred language for displaying pages	Ch <u>o</u> ose	?		

Reference 3.2 (b)

ouress of website:	
*.intertekconnect.com	
	Alle
Site	Status
ntertek.csod.com	Allow
Remove Site Remove All Sites	;
Remove Site Remove All Sites	s <u>C</u> lo
Remove Site Remove All Sites	: <u>c</u> lo rence 3.2 (c)
Remove Site Remove All Sites Refere	s <u>C</u> lo rence 3.2 (c)
Remove Site Remove All Sites Refere	s <u>Clo</u> Sence 3.2 (c) Sites - Pop-ups

3.3. How to add *.intertekconnect.com to Allowed Pop-ups (Chrome)

Remove All Sites

• Note: internet browser settings may be controlled by your company's system administrator. If you are not able to perform the actions described, please contact your company's system administrator.

Reference 3.2 (d)

Status

Allow

Close

• Open Chrome internet browser

Site

intertek.csod.com *.intertekconnect.com

Remove Site

- Click the 3 horizontal dots icon on the far right of the Address bar
 - Reference 3.3 (a)
- Click on Settings
 - o Reference 3.3 (b)
- From the Settings Page, scroll to the bottom and click on Advanced
 - Reference 3.3 (c)
- Advanced Settings will now display, scroll down and click on Content Settings and click on Popups
 Reference 3.3 (d)
- In the Allow section, click on Add
 - o Reference 3.3 (e)
- Enter https://ienable.intertekconnect.com and click the Add button
 - Reference 3.3 (f)

(in)		
New Tab X	θ	
\leftrightarrow \rightarrow $C \Delta$	Reference 3.3 (a)	

			☆	
New tab			Ctrl+T	
New window	N	(Ctrl+N	
New incogn	ito windo	w Ctrl+Sl	hift+N	
History				Ì
Downloads			Ctrl+J	
Bookmarks				
Zoom	- 1	00% +	100	1
Print		(Ctrl+P	
Cast				
Find			Ctrl+F	
More tools				į
Edit	Cut	Copy	Past	te
Settings				
Help				
5.		011.01		

Reference 3.3 (b)

\equiv Settings	Q, Search settings			
	Show bookmarks bar		(
	Font size	Medium (Recon	nmended)	•
	Customize fonts			×
	Page zoom	100%		*
	Search engine			
	Search engine used in the address bar	Google		•
	Manage search engines			•
	Default browser			
	Default browser Make Google Chrome the default browser		MAKE DEF	AULT
	On startup			
	Open the New Tab page			
	O Continue where you left off			
	O Open a specific page or set of pages			
	Advanced +			

- 🗆 ×

☆ :

÷	Content settings	0
٩	Cookies Allow sites to save and read cookie data	÷
0	Location Ask before accessing	×
	Camera Ask before accessing	۲.
Ŷ	Microphone Ask before accessing	۲
	Notifications Ask before sending	×
$\langle \rangle$	JavaScript Allowed	×
*	Flash Ask first	×
	Images Show all	×
Ø	Popups Blocked	÷
	Ads Blocked on sites that tend to show intrusive ads	۲
Ş	Background sync Allow recently closed sites to finish sending and receiving data	ł

Reference 3.3 (d)

← Popups	
Blocked (recommended)	
Block	ADD
No sites added	
Allow	ADD
No sites added	

Reference 3.3 (e)

Site	
https://ienable.intertekconnect.com	

CANCEL ADD





4. UPDATE COOKIES SETTINGS

4.1. How to enable cookies (Internet Explorer)

- Note: internet browser settings may be controlled by your company's system administrator. If you are not able to perform the actions described, please contact your company's system administrator.
- Open Internet Explorer internet browser
- From the Internet Explorer browser menu select Tool and select Internet options
 - Reference 4.1 (a)
- In the Internet Options pop-up click on the Privacy Tab and click on Advanced Button under Settings
 Reference 4.1 (b)
- In the Advanced Privacy Settings pop-up select the radio buttons to Accept Cookies and Allow session cookies

• Reference 4.1 (c)

 Click ok to close the Advanced Privacy Settings pop-up and click OK to close the Internet Options popup



Reference 4.1 (a)

Settings	General Security	Privacy	Marcola Contractor		-	
Settings Sites Sites Advanced			Content	Connections	Programs	Advan
Sites Advanced Location	Settings					
Location				Sites	Adv	ranced
Never allow websites to request your physical location Pop-up Blocker ☑ Turn on Pop-up Blocker ☑ Turn on Pop-up Blocker ☑ Turn on Pop-up Blocker ☑ Disable toolbars and extensions when InPrivate Browsing starts	Location					
Pop-up Blocker	Never allow w physical locat	vebsites to ion	request yo	DUF	Clea	ar Sites
 ☑ Turn on Pop-up Blocker Settings InPrivate ☑ Disable toolbars and extensions when InPrivate Browsing starts 						
InPrivate	Pop-up Blocker					
☑ Disable toolbars and extensions when InPrivate Browsing starts	Pop-up Blocker	up Blocker			Se	ttings
	Pop-up Blocker	up Blocker ars and ext	ensions wł	nen InPrivate B	Se rowsing sta	ttings rts

Cookies	
First-party Cookies	Third-party Cookies
Accept Block Prompt	Accept Block Prompt
Always allow session	a cookies



4.2. How to enable cookies (Mozilla Firefox)

- Note: internet browser settings may be controlled by your company's system administrator. If you are not able to perform the actions described, please contact your company's system administrator.
- Open Mozilla Firefox internet browser
- From the Mozilla Firefox browser menu select Tools and select Options
 - Reference 4.2 (a)
- On the Preferences Page click on Privacy and go the History section
 In the drop-down menu next to Firefox will: choose use custom settings f
- In the drop-down menu next to Firefox will: choose use custom settings for history
 Reference 4.2 (b)
- Check-mark Accept cookies from sites to enable cookies
 - Reference 4.2 (c)



le <u>E</u> dit <u>V</u> iew Hi <u>s</u> tory <u>B</u> ookmarks	Tools Help
New Tab 🗙	<u>D</u> ownloads Ctrl+J <u>A</u> dd-ons Ctrl+Shift+A
Search or enter address	Apps Set Up <u>Sy</u> nc
	<u>W</u> eb Developer → Page <u>I</u> nfo
	Ontions



🖸 General	Privacy
Q Search	
Content	Tracking
Applications	Tell sites that I do not want to be tracked
Applications	Local Advance
Privacy	Learn More
Privacy Security	Learn More History Firefox will: Use custom settings for history
Privacy Security Sync	Learn More History Firefox will: Use custom settings for history Always Remember history
Privacy Security Sync Advanced	Learn More History Firefox will: Use custom settings for history ✓ Always Remember history Never remember history story

Reference 4.2 (b)

[] General	Privacy	
Q Search		
Content	Tracking	
Applications	Tell sites that I do not want to be tracked	
🗢 Privacy	Learn More	
🖴 Security	History Firefox will: Use custom settings for history	
🚯 Sync	Always use private browsing mode	
🙆 Advanced	Remember my browsing and download history	
	Remember search and form history Accept cookies from sites	Exceptions
	Accept third-party cookies: Always	
	Keep until: I close Firefox 👻	Show Cookies
	Clear history when Firefox closes	Settings

Reference 4.2 (c)



4.3. How to enable cookies (Chrome)

- Note: internet browser settings may be controlled by your company's system administrator. If you are not able to perform the actions described, please contact your company's system administrator.
- Open Chrome internet browser
- Click the 3 horizontal dots icon on the far right of the Address bar
 - Reference 4.3 (a)
- Click on Settings
 - Reference 4.3 (b)
- From the Settings Page, scroll to the bottom and click on Advanced
 Reference 4.3 (c)
 - Advanced Settings will now display, scroll down and click on Content Settings
 - Reference 4.3 (d)
- Click on Cookies

•

- Reference 4.3 (e)
- Enable Allow sites to save and read cookie data (recommended)
 - Reference 4.3 (f)

New Tab	×		Θ	-		×	
$\leftrightarrow \Rightarrow \texttt{G} \ \textcircled{0}$	۹				☆	:	

Reference 4.3 (a)

			☆ :
New tab			Ctrl+T
New window	N		Ctrl+N
New incogn	ito windo	w Ctrl+S	hift+N
History			
Downloads			Ctrl+J
Bookmarks			
Zoom	- 1	00% +	50
Print			Ctrl+P
Cast			
Find			Ctrl+F
More tools			
Edit	Cut	Сору	Paste
Settings			
Help			
Exit		Ctrl+S	hift+0

Reference 4.3 (b)

Q Search settings	
Show bookmarks bar	
Font size	Medium (Recommended) -
Customize fonts	•
Page zoom	100% -
Search engine	
Search engine used in the address bar	Google 👻
Manage search engines	>
Default browser	
Default browser Make Google Chrome the default browser	MAKE DEFAULT
On startup	
Open the New Tab page	
O Continue where you left off	
O Open a specific page or set of pages	

Reference 4.3 (c)

Advanced 🔺	
vacy and security	
Google Chrome may use web services to improve your browsing experience. You may optionally disable services. Learn more	these
Use a web service to help resolve navigation errors	•
Use a prediction service to help complete searches and URLs typed in the address bar	•
Use a prediction service to load pages more quickly	
Automatically send some system information and page content to Google to help detect dangerous apps and sites	
Protect you and your device from dangerous sites	
Automatically send usage statistics and crash reports to Google	
Send a "Do Not Track" request with your browsing traffic	
Use a web service to help resolve spelling errors Smarter spell-checking by sending what you type in the browser to Google	
Manage certificates Manage HTTPS/SSL certificates and settings	Z
Content settings Control what information websites can use and what content they can show you	•
Clear browsing data Clear history, cookies, cache, and more	•

Reference 4.3 (d)



÷	Content settings	0
٩	Cookies Allow sites to save and read cookie data	•
0	Location Ask before accessing	Þ
	Camera Ask before accessing	×

Reference 4.3 (e)

← Cookies	
Allow sites to save and read cookie data (recommended)	•
Keep local data only until you quit your browser	
Block third-party cookies Prevent third-party websites from saving and reading cookie data	
See all cookies and site data	Þ

Reference 4.3 (f)



5. UPDATE JAVASCRIPT SETTINGS

5.1. How to enable JavaScript (Internet Explorer)

- Note: internet browser settings may be controlled by your company's system administrator. If you are not able to perform the actions described, please contact your company's system administrator.
- Open Internet Explorer internet browser
- From the Internet Explorer browser menu select Tool and select Internet options
 - Reference 5.1 (a)
- In the Internet Options Pop-up click on the Security tab, click on Internet icon, then click on Custom Level button
 - Reference 5.1 (b)
- In Custom Level settings, scroll down to the Scripting section. In this section make sure "Enable" is checked for Active scripting and Scripting of Java applets, and click ok, and click ok again.
 - o Reference 5.1 (c)



Reference 5.1 (a)

Seneral						
	Security	Privacy	Content	Connections	Programs	Advance
Select :	ernet	iew or char	nge secur et Trust	ity settings.	S estricted	
-	Interne	at			sites	
0	This zon except t restricte	e is for Inte hose listed d zones.	ernet web in trusted	sites, I and	Sit	es
Secu	rity level fo	r this zone				
Allo	wed levels	for this zor	ne: Mediu	im to High		
	- Fieu	num-myn				
	- / - F co - L	Appropriate Prompts bei ontent Jnsigned Ad otected Mo	for most fore dowr ctiveX cor de (requi	websites nloading poten ntrols will not b res restarting	tially unsafe e downloade Internet Exp	ed Norer)
	- / - F co - L Enable Pr	Appropriate Prompts bef Intent Unsigned Ad otected Mo	e for most fore dowr ctiveX cor de (requi	websites nloading poten ntrols will not b res restarting tom level	tially unsafe e downloade Internet Exp Default	ed Norer) Tevel
	- / - F co - L]Enable Pr	Appropriate Prompts ben Intent Jnsigned Ad otected Mo	for most fore dowr ctiveX cor de (requi	websites nloading poten ntrols will not b res restarting tom level Reset all zon	tially unsafe e downloade Internet Exp Default es to default	ed Norer) Tevel
ــــ ک د	Enable Pr	Appropriate Prompts bef Intent Jusigned Ac otected Mo	e for most fore dowr ctiveX cor de (requi Cus aged by	websites nloading poten ntrols will not b res restarting tom level Reset all zon your system a	tially unsafe e downloade Internet Exp Default es to default dministrator.	ed Norer) Ievel
- - -	- / F Co U U U U U	Appropriate Frompts bef Intent Junsigned Ar otected Mo	e for most fore dowr ctiveX cor de (requi Cus naged by Of	websites nloading poten ntrols will not b res restarting tom level Reset all zon your system a	tially unsafe e downloade Internet Exp Default dministrator. ancel	ed Norer) Ievel : Ievel : Apply
- - - -	- / F Co L L L L	Appropriate Prompts bef intent Unsigned Ar otected Mo	e for most fore down ctiveX con de (requi Cus haged by Of ferenc	websites nloading poten ntrols will not b res restarting tom level Reset all zon your system a c C e 5.1 (b)	tially unsafe e downloade Internet Exp Default dministrator. ancel	ed Norer) Ievel Level Apply
Securit	- / F L] Enable Pr	Appropriate Prompts bef intent Junsigned Ar otected Mo otected Mo otected Mo Rej	e for most fore dowr ctiveX cor ide (requi Cus inaged by ferenc one	websites nloading poten ntrols will not b res restarting tom level Reset all zon your system a <	tially unsafe e downloade Internet Exp Default es to default dministrator. ancel	ed lover) level Apply X

Scrip	oting			^
A GE	acuve scripting			
() Disable			
0	Enable			
- () Prompt			
51	Allow Programmatic clipboard access			
(🔵 Disable			
() Enable			
. (Prompt			
(R) (Allow status bar updates via script			
(CD2)				
200	Disable			
() ()	 Disable Enable 			
ی () () ()	 Disable Enable Allow websites to prompt for informatio 	n using s	cripted windo	10
	 Disable Enable Allow websites to prompt for informatio Disable 	n using <mark>s</mark>	cripted windo	
2 () () () () () () ()	 Disable Enable Allow websites to prompt for informatio Disable Enable 	n using s	cripted windo	
	Disable Disable Enable Inable Isole Disable Enable Enable Cable	n using s	cripted windo	•
	Disable Enable Insable Insable Disable Disable Enable Enable Enable	n using s	cripted windo	•
() () () () () () () () () () () () () (Disable Disable Enable Insable Disable Disable Enable Enable Forable YCC filter	n using s	cripted windo	~
Takes ef	Disable Disable Enable Inable Isoable Disable Enable Enable For the second se	n using s	cripted windo	~
Takes ef eset custo eset to:	Disable Enable Enable Inable Disable Disable Enable Enable Enable fect after you restart your computer om settings Medium-high (default)	n using s	Reset	~
*Takes ef eset custo eset to:	Disable Enable Enable Inable Disable Disable Enable Enable Enable For the second	n using s	Reset	~

Reference 5.1 (c)



5.2. How to enable JavaScript (Mozilla Firefox)

• Note: for Mozilla Firefox enabling JavaScript involves manually updating your browser configuration profile. It is recommended that you please contact your company's system administrator to perform this update if it is required.

5.3. How to enable JavaScript (Chrome)

- Note: internet browser settings may be controlled by your company's system administrator. If you are not able to perform the actions described, please contact your company's system administrator.
- Open Chrome internet browser
- Click the 3 horizontal dots icon on the far right of the Address bar
 - Reference 5.3 (a)
- Click on Settings
 - Reference 5.3 (b)
- From the Settings Page, scroll to the bottom and click on Advanced
 - Reference 5.3 (c)
- Advanced Settings will now display, scroll down and click on Content Settings
 - Reference 5.3 (d)
- Scroll down and click on JavaScript and change to Allowed
 - Reference 5.3 (e)

New Tab	×	Θ	-		×	
\leftrightarrow \Rightarrow C \heartsuit				☆	: :	

Reference 5.3 (a)

					☆	:
Ne	w tab				Ctrl+T	
Ne	w window	v			Ctrl+N	
Ne	w incogni	ito wind	wol	Ctrl+S	Shift+N	
His	tory					•
Do	wnloads				Ctrl+J	
Bo	okmarks					۲
Zo	om	-	100%	+	5	2
Pri	nt				Ctrl+P	6
Cas	st					
Fin	d				Ctrl+F	
Mo	ore tools					۲
Edi	it	Cut	c	Copy	Pas	te
Set	ttings					
He	lp					ŀ
Exi	t			Ctrl+S	hift+C	2

Reference 5.3 (b)

E Settings	Q. Search settings		
	Show bookmarks bar		
	Font size	Medium (Reco	mmended) 👻
	Customize fonts		×
	Page zoom	100%	•
	Search engine		
	Search engine used in the address bar	Google	•
	Manage search engines		>
	Default browser		
	Default browser Make Google Chrome the default browser		MAKE DEFAULT
	On startup		
	Open the New Tab page		
	O Continue where you left off		
	O Open a specific page or set of pages		

Reference 5.3 (c)

Advanced 🔺	
vacy and security	
Google Chrome may use web services to improve your browsing experience. You may optionally disable services. Learn more	le these
Use a web service to help resolve navigation errors	-
Use a prediction service to help complete searches and URLs typed in the address bar	-
Use a prediction service to load pages more quickly	-
Automatically send some system information and page content to Google to help detect dangerous apps and sites	
Protect you and your device from dangerous sites	-
Automatically send usage statistics and crash reports to Google	
Send a "Do Not Track" request with your browsing traffic	
Use a web service to help resolve spelling errors Smarter spell-checking by sending what you type in the browser to Google	
Manage certificates Manage HTTPS/SSL certificates and settings	Z
Content settings Control what information websites can use and what content they can show you	×
Clear browsing data Clear history, cookies, cache, and more	÷

٩	Search settings	
÷	Content settings	0
٩	Cookies Allow sites to save and read cookie data	۲
0	Location Ask before accessing	•
	Camera Ask before accessing	۲
Ŷ	Microphone Ask before accessing	•
	Notifications Ask before sending	۲
$\langle \rangle$	JavaScript Allowed	*

Reference 5.3 (e)

6. ENABLE TLS

6.1. How to enable TLS (Internet Explorer)

- Note: internet browser settings may be controlled by your company's system administrator. If you are not able to perform the actions described, please contact your company's system administrator.
- Open Internet Explorer internet browser
- From the Internet Explorer browser menu select Tools and select Internet options
 - Reference 6.1 (a)
- In the Internet Options Pop-up click on the Advanced tab and scroll down to Security category

 Reference 6.1 (b)
- Put a checkmark in the option boxes for "Use TLS" (all versions) and click OK.
 - Reference 6.1 (c)

() US https://www.itg.ias.edu/content/how-add-trusted-sites-internet-explorer TLS How to add Trusted Sites to... × C File Edit View Favorites Tools Help Delete browsing history_ Ctrl+Shift+Del InPrivate Browsing Ctrl+Shift+P Turn on Tracking Protection ActiveX Filtering Fis connection problems... Reopen last browsing session Add site to Apps View downloads Ctrl+J Pop-up Blocker 6 Windows Defender SmartScreen Filter 5 Manage media licenses Manage add-ons Compatibility View settings Subscribe to this feed... Feed discovery Ctrl+Shift+U Performance dashboard F12 Developer Tools **OneNote Linked Notes** Lync Click to Call Send to OneNote Report website problems Internet options

æ

Reference 6.1 (a)

	Security	Privacy	Content	Connections	Programs	Advance
Setting	s —					
4	Show Multimedia Enable Enable Play a Play s Show Security Allow Allow Check	Notification a elternation a elternation automation automation automation automation active con active con active con software i unsecured i for publis	n bar for e ve codecs ic image re in webpage vebpages vnload place ntent from i ntent to rur to run or in i images wi her's certif	in HTML5 media sizing es* ceholders CDs to run on I n in files on My stall even if the th other mixed ficate revocatio	sses a elements* My Compute Computer* e signature i content n	r*
≮ *Ta	kes effect .	after vou	restart voi	ir computer		>
14	Nes encer		restart you	Restore	advanced s	ettinas
	internet Ev	plorer set	tings	1		
Reset I	Internet Ex		250			
Reset I Rese cond	ets Internet lition.	t Explorer'	s settings	to their <mark>de</mark> fault	Res	et

Reference 6.1 (b)

General	Security	Privacy	Content	Connections	Programs	Advance
increa a	becomey	(invacy	Conterne	Connections	riograms	
Setting	s					
	Enable Enable Enable Enable Enable Enable Enable Send I Use S	E DOM Sto E Enhance Integrat Native XI Windows Do Not Tra SL 3.0	orage of Protecte ed Window MLHTTP su s Defender ack reques	d Mode* vs Authenticatio pport SmartScreen ts to sites you	on* visit in Inter	netE
<	Use Ti Use Ti Use Ti Warn Warn Warn Warn	LS 1.0 LS 1.1 LS 1.2 about cer if changin if POST su	tificate ado g between ıbmittal is r	dress mismatch secure and no redirected to a	* t secure mo zone that de	de oes n ♥
< *Tal	Use TI Use TI Use TI Warn Warn Warn Warn	LS 1.0 LS 1.1 LS 1.2 about cer if changin if POST su after you	tificate ado g between ubmittal is r restart you	dress mismatch secure and no redirected to a ur computer	* t secure mo zone that d	de oes n ↔
< *Ta	Use Ti Use Ti Use Ti Warn Warn Warn Warn	LS 1.0 LS 1.1 LS 1.2 about cer if changin if POST su after you	tificate ado g between Ibmittal is r restart you	dress mismatch secure and no edirected to a ur computer Restore	* t secure mo zone that d	de oes n ¥ >
×Tal	Use Ti Use Ti Use Ti Warn Warn Warn Warn kes effect a	LS 1.0 LS 1.1 LS 1.2 about cer if changin if POST su after you	tificate ado g between Jomittal is r restart you tings	dress mismatch secure and no edirected to a ur computer Restore	* zone that d advanced s	de oes n ¥ >
< *Tal Reset I Rese	Use Ti Use Ti Use Ti Warn Warn Warn Warn kes effect a internet Ex	LS 1.0 LS 1.1 LS 1.2 about cer if changin if POST su after you plorer set t Explorer	tificate add g between Ibmittal is r restart you tings 's settings '	dress mismatch secure and no edirected to a ur computer Restore to their default	* t secure mo zone that do advanced s	de oes n ¥ > settings
< *Tal Reset I Reset ond You	Use TI Use TI Use TI Warn Warn Warn Warn Warn Warn Warn Warn	LS 1.0 LS 1.1 LS 1.2 about cer if changin if POST su after you plorer set t Explorer	tificate add g between Ibmittal is r restart you tings 's settings	dress mismatch secure and no edirected to a r computer Restore to their default	* t secure mo zone that do advanced s	de oes n ~ > settings

6.2. How to enable TLS (Mozilla Firefox)

• Note: for Mozilla Firefox enabling TLS involves manually updating your browser configuration profile. It is recommended that you please contact your company's system administrator to perform this update if it is required.

6.3. How to enable TLS (Chrome)

- Note: internet browser settings may be controlled by your company's system administrator. If you are not able to perform the actions described, please contact your company's system administrator.
- Open Chrome internet browser
- Click the 3 horizontal dots icon on the far right of the Address bar
 - Reference 5.3 (a)
- Click on Settings
 - Reference 5.3 (b)
- From the Settings Page, scroll to the bottom and click on Advanced
 Reference 5.3 (c)
- Scroll down to the System section and click on Open Proxy Settings
 - Reference 6.3(a)
- Click the Advanced tab of Internet properties popup and scroll down to Security section
 - Reference 6.1 (b), Reference 6.1 (c)

)	
System	
Continue running background apps when Google Chrome is closed	-
Use hardware acceleration when available	
Open proxy settings	12
Reference 6.3(a)	

7. INSTALLING ADOBE FLASH PLAYER

7.1. How to install Adobe Flash Player

- Note: internet browser settings and application add-ons may be controlled by your company's system administrator. If you are not able to perform the action described, please contact your company's system administrator.
- Open internet browser and navigate to <u>https://get.adobe.com/flashplayer/</u>
- Click "Install Now" and follow the prompts to download and install as directed